LPCB®

www.redbooklive.com



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirement(s) of the standards as detailed below:

Products

Orbis multisensory smoke detectors

Standards

EN 54-7:2000 + A1:2002 + A2:2006

CEA 4021: 2003

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Signed for LPCB	Steve Pattrick Verifier	20 January 2015 Date of Issue	01 Janua Date of Firs	7
	This certificate and appendix remain issued subject to terms and conditio <u>www.redbooklive.com/terms)</u> .	the property of BRE Global Ltd and are ns (for details visit		
	To check the validity of this certificate and appendix please visit <u>www.redbooklive.com/check</u> , scan the QR tag or contact us. LPCB is part of BRE Global Ltd, Watford, WD25 9XX T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>enquiries@breglobal.com</u>			bre



LPCB®

Appendix to Certificate No: 010t Apollo Fire Detectors Limited

Issue: 14

OrbisMultisensor Smoke Detectors with Apollo Approval Reference* 00008 (Approved For Use with Base Styles OB, OL, OD, DX, OR, EB and ORB-BA-10008-APO Adaptor Base)010t/01ORB-OH-13001-APO Orbis Multisensor Smoke Detector with SensAlert, FasTest and DirtAlertORB-OH-13003-APO Orbis Multisensor Smoke Detector with Flashing LED, SensAlert, FasTest and DirtAlertOEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlert OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlertOIt/01Orbis ISIntrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base)010t/02ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert010t/02	For Use with Base Styles OB, OL, OD, DX, OR, EB and ORB-BA-10008-APO Adaptor Base) ORB-OH-13001-APO Orbis Multisensor Smoke Detector with SensAlert, FasTest and DirtAlert ORB-OH-13003-APO Orbis Multisensor Smoke Detector with Flashing LED, SensAlert, FasTest and DirtAlert OEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlert OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlert Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert,	Ref.No.	Certified Description
and DirtAlertORB-OH-13003-APO Orbis Multisensor Smoke Detector with Flashing LED, SensAlert, FasTest and DirtAlertOEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlertOEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlertOrbis ISIntrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base)ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert,	and DirtAlertORB-OH-13003-APO Orbis Multisensor Smoke Detector with Flashing LED, SensAlert, FasTest and DirtAlertOEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlertOEX-OH-13007-APO Orbis Multisensor Smoke Detector with SensAlertOrbis ISIntrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base)010t/0ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert010t/0	10t/01	For Use with Base Styles OB, OL, OD, DX, OR, EB and ORB-BA-10008-APO Adaptor
SensAlert, FasTest and DirtAlert OEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlert OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlert Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert,	SensAlert, FasTest and DirtAlertOEX-OH-13007-APO Orbis Multisensor Smoke Detector with Flashing LED and SensAlertOEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlertOrbis ISIntrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base)ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert		
SensAlert OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlert Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) 010t/02 ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, 010t/02	SensAlert OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlert Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 010t/0 Adapter Base) ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert 010t/0		
Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 010t/02 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) 010t/02 ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, 010t/02	Orbis IS Intrinsically Safe Multisensor Detectors with Apollo Approval Reference* 50008 (Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) 010t/0 ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert 010t/0		
(Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert,	(Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO Adapter Base) ORB-OH-53027-APO Orbis Intrinsically Safe Multisensor Detector with SensAlert, FasTest and DirtAlert		OEX-OH-13016-APO Orbis Multisensor Smoke Detector with SensAlert
	FasTest and DirtAlert	10t/02	(Approved For Use with Base Styles OB (+ATEX marking) and ORB-BA-50008-APO
	ORB-OH-53028-APO Orbis Intrinsically Safe Multisensor Detector with Flashing		
ORB-OH-53028-APO Orbis Intrinsically Safe Multisensor Detector with Flashing LED, SensAlert, FasTest and DirtAlert	LED, SensAlert, FasTest and DirtAlert		

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

SALCON	Steve Pattrick	20 January 2015	01 January 2004
Signed for LPCB	Verifier	Date of Issue	Date of First Issue
LPCB	issued subject to terms and condition www.redbooklive.com/terms). To check the validity of this certificate www.redbooklive.com/check, scan th LPCB is part of BRE Global Ltd, Watfo	and appendix please visit e QR tag or contact us.	bre

LPCB

Appendix to Certificate No: 010t Apollo Fire Detectors Limited

Issue: 14

Bases:

TimeSaver bases with Apollo Approval Reference* OB: ORB-MB-00001-APO TimeSaver base

TimeSaver LX bases with Apollo Approval Reference* OL: ORB-MB-00002-APO TimeSaver base LX (without continuity checking link)

TimeSaver diode bases with Apollo Approval Reference* OD: ORB-DB-00003-APO TimeSaver diode base

TimeSaver LX diode bases with Apollo Approval Reference* DX: OLX-DB-00007-APO TimeSaver diode base LX (without continuity checking link)

TimeSaver relay bases with Apollo Approval Reference* OR: ORB-RB-10004-APO TimeSaver relay base

TimeSaver IS bases with Apollo Approval Reference* OB (+ATEX marking): ORB-MB-50018-APO TimeSaver IS base

TimeSaver deep bases with Apollo Approval Reference* EB: ORB-MB-00019-APO TimeSaver deep base

ORB-BA-50008-APO Orbis intrinsically safe adaptor base (to be used in conjunction with the following bases only: 45681-207)

ORB-BA-10008-APO Orbis adaptor base (to be used in conjunction with the following bases only: 45681-200 & 45681-201)

* The Apollo 'Approval Reference Number' identifies a group of detectors that all have the same physical construction, but have features enabled or disabled via their software, and/or regional marking variations.

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Star	Steve Pattrick	20 January 2015	01 January 2004
signed for LPCB	Verifier	Date of Issue	Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and are issued subject to terms and conditions (for details visit www.redbooklive.com/terms). To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us. LPCB is part of BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com



LPCB®

Appendix to Certificate No: 010t Apollo Fire Detectors Limited

Issue: 14

Alternative Model Numbers and Labelling

LPCB Ref No.	Model No.	Model No./Label	Cross-listed company	Cross-Listed Co Cert./ Ref No.
010t/01	ORB-OH-13001-APO	ORB-OH-13001-AMP	Ampac	010t/01
010t/01	ORB-OH-13001-APO	FAPO-MUS	Emergi-Lite	010t/01
010t/01	ORB-OH-13001-APO	ORB-OH-13001-ADV	Advanced Electronics	010t/01
010t/01	ORB-OH-13001-APO	EDC-30	Pelco Finland Oy	010t/01
010t/01	ORB-OH-13003-APO	ORB-OH-13003-AMP	Ampac	010t/01
010	ORB-MB-00001-APO	ORB-MB-00001-AMP	Ampac	010
010	ORB-MB-00001-APO	FAPO-TSB	Emergi-Lite	010
010	ORB-MB-00001-APO	EBC-10	Pelco Finland Oy	010
010	ORB-MB-00002-APO	ORB-MB-00002-AMP	Ampac	010
010	ORB-DB-00003-APO	ORB-DB-00003-AMP	Ampac	010
010	ORB-DB-00003-APO	FAPO-TDB	Emergi-Lite	010
010	ORB-RB-10004-APO	ORB-RB-10004-AMP	Ampac	010
010	ORB-RB-10004-APO	FAPO-TRB	Emergi-Lite	010
010	ORB-RB-10004-APO	EBC-20	Pelco Finland Oy	010
010	ORB-MB-00019-APO	EBC-11	Pelco Finland Oy	010

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

SPEC	Steve Pattrick	20 January 2015	01 January 2004
Signed for LPCB	Verifier	Date of Issue	Date of First Issue
STON CERTIFICA	This certificate and appendix re issued subject to terms and cor	emain the property of BRE Global Ltd and a nditions (for details visit	ire



This certificate and appendix remain the property of BRE Global Ltd and are issued subject to terms and conditions (for details visit <u>www.redbooklive.com/terms</u>). To check the validity of this certificate and appendix please visit <u>www.redbooklive.com/check</u>, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Watford, WD25 9XX T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>enquiries@breglobal.com</u>