



Overview:

T8 LED tubes are long lasting, high quality lighting substitution to fluorescent tube lights. Perfect for office lighting, school lighting, hospital lighting and factory lighting. LED Tube lights are an easy way to economize and help save the environment. It can save 75% energy compare with fluorescent tube and its life span also last as much as 5 times longer than your normal fluorescent tube.




Standards:

IEC60598-1	EN55015	IEC62031
IEC60598-2-1	IEC61000-3-2	IEC62471
IEC61347-1	IEC61000-3-3	IEC62384
IEC61347-2-13	IEC61547	IEC62776

Features:

- Wide range of input voltage and frequency.
- Adjustable lighting angle with rotatable end cap.
- Power factor > 0.9.
- Over 60% of energy saved compared with traditional lamp.
- LED life span: 50,000 hours.



Specification:

Model Number	TL-1010	TL-1020	TL-1030	TL-1040
Power	9W	13W	18W	22W
Luminous Flux	900lm	1350lm	1800lm	2250lm
Power factor	>0.9			
Input Voltage	100-240V AC 50/60Hz			
CCT	2700-6000K			
CRI	Ra > 80			
Socket Base	G13			
Luminous efficiency	100 lm/W			
Beam angle	120°			
Material	Polycarbonate, Aluminum			
Working temperature	20°C ~ +60°C			
Life span	50,000 Hours			
Dimensions	25.8*30.5*588mm	25.8*30.5*897mm	25.8*30.5*1198mm	25.8*30.5*1498mm
Net. Weight	0.35kg	0.4kg	0.5kg	0.6kg